

LEADED MOBILE RADIATION PROTECTION SCREEN MAVIG WD504 Leaded mobile screen on wheels





Product description:

Working in radiation exposed environment requires appropriate protection. Therefore the mobile shield combines upper and lower body protection.

- Easy and simple positioning
- The lead glass has an excellent light transmission
- Light weight aluminum frame construction

Mobile Radiation Protection

The leaded screen, available in different widths, with its wide lead glass area provides maximum protection and an unimpeaded view for personnel. We offer the mobile shield in two different lead equivalent values depending on your needs.

Model Specifications

- Lead equivalents Pb 0.50 mm or Pb 2.00 mm (other Pb values on request)
- Lead equivalent window Pb 2.00 mm
- Overall widths 724 to 1624 mm / 28.5 to 63.9 in (in steps of 100 mm / 3.9 in)
- Overall height 1950 mm / 76.8 in

Lead Glass Part Dimensions

- Widths: 580 to 1480 mm / 22.8 to 58.3 in (in steps of 100 mm / 3.9 in, depending on overall width of mobile shield)

- Height: 785 mm / 30.9 in

Lead equivalent 0.5Pb:

| ١٨/ | οг. | 0.4 | \sim \sim | \sim |
|-----|-----|-----|---------------|--------|
| VV | レシ | 04- | ひち | U/ |

Mobile protection screen in lightweight aluminium construction, with lead glass window - vision area: 784 x



| | 576 mm (H x W), 0.50 mmPb, shield size: 1928 x 700 mm (H x W), total height: 1,950 mm |
|------------|--|
| WD504-0508 | Protection screen, comparable with WD504-0507, but width: 800 mm, lead glass window 784 x 676 mm (H x W) |
| WD504-0509 | Protection screen, comparable with WD504-0507, but width: 900 mm, lead glass window 784 x 776 mm (H x W) |
| WD504-0510 | Protection screen, comparable with WD504-0507, but width: 1000 mm, lead glass window 784 x 876 mm (H x W)) |
| WD504-0511 | Protection screen, comparable with WD504-0507, but width: 800 mm, lead glass window 784 x 676 mm (H x W) |
| WD504-0512 | Protection screen, comparable with WD504-0507, but width: 1200 mm, lead glass window 784 x 1076 mm (H x W) |
| WD504-0513 | Protection screen, comparable with WD504-0507, but width: 1300 mm, lead glass window 784 x 1176 mm (H x W) |
| WD504-0514 | Protection screen, comparable with WD504-0507, but width: 1400 mm, lead glass window 784 x 1276 mm (H x W) |
| WD504-0515 | Protection screen, comparable with WD504-0507, but width: 1500 mm, lead glass window 784 x 1376 mm (H x W) |
| WD504-0516 | Protection screen, comparable with WD504-0507, but width: 1600 mm, lead glass window 784 x 1476 mm (H x W) |

Lead equivalent 2.00Pb:

| WD504-2007 | Protection screen, comparable with WD504-0507, but lead equivalent of 2.00 mmPb |
|------------|---|
| WD504-2008 | Protection screen, comparable with WD504-0508, but lead equivalent of 2.00 mmPb |
| WD504-2009 | Protection screen, comparable with WD504-0509, but lead equivalent of 2.00 mmPb |
| WD504-2010 | Protection screen, comparable with WD504-0510, but lead equivalent of 2.00 mmPb |
| WD504-2011 | Protection screen, comparable with WD504-0511, but lead equivalent of 2.00 mmPb |
| WD504-2012 | Protection screen, comparable with WD504-0512, but lead equivalent of 2.00 mmPb |
| WD504-2013 | Protection screen, comparable with WD504-0513, but lead equivalent of 2.00 mmPb |
| WD504-2014 | Protection screen, comparable with WD504-0514, but lead equivalent of 2.00 mmPb |
| WD504-2015 | Protection screen, comparable with WD504-0515, but lead equivalent of 2.00 mmPb |
| WD504-2016 | Protection screen, comparable with WD504-0516, but lead equivalent of 2.00 mmPb |



Model: WD504-0507, WD504-0508, WD504-0509, WD504-0510, WD504-0511, WD504-0512, WD504-0513, WD504-0514, WD504-0515, WD504-0516, WD504-2007, WD504-2008, WD504-2009, WD504-2010, WD504-2011, WD504-2012, WD504-2013, WD504-2014, WD504-2015, WD504-2016

Reference: Mav-WD504-XXXX